



Cambridge International AS & A Level

CANDIDATE
NAME
CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

FURTHER MATHEMATICS

9231/21

Paper 2 Further Pure Mathematics 2

October/November 2024

2 hours

You must answer on the question paper.

You will need: List of formulae (MF19)

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.

INFORMATION

- The total mark for this paper is 75.
- The number of marks for each question or part question is shown in brackets [].

This document has **20** pages. Any blank pages are indicated.



4Uadmission

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN



$$\begin{aligned}x + 5y + 6z &= 1, \\ kx + 2y + 2z &= 2, \\ -3x + 4y + 8z &= 3,\end{aligned}$$


SINCE 2020

4Uadmission

$$x = 1 + \frac{1}{t} \quad \text{and} \quad y = \cos^{-1} t \quad \text{for } 0 < t < 1.$$

(a) Show that $\frac{dy}{dx} = \frac{t^2}{\sqrt{1-t^2}}$. [2]



SINCE 2020

4Uadmission





- 3 A curve has equation $y = e^x$ for $\ln \frac{4}{3} \leq x \leq \ln \frac{12}{5}$. The area of the surface generated when the curve is rotated through 2π radians about the x -axis is denoted by A .

(a) Use the substitution $u = e^x$ to show that

$$A = 2\pi \int_{\frac{4}{3}}^{\frac{12}{5}} \sqrt{1+u^2} \, du. \quad [2]$$

(b) Use the substitution $u = \sinh v$ to show that

$$A = \pi \left(\frac{904}{225} + \ln \frac{5}{3} \right). \quad [6]$$





$$\mathbf{A} = \begin{pmatrix} -11 & 1 & 8 \\ 0 & -2 & 0 \\ -16 & 1 & 13 \end{pmatrix}.$$

-


- 4Uadmin



[4]



4Uadmission

A large, light blue watermark reading "4Uadmission" is oriented diagonally from the bottom-left to the top-right across the entire page. In the top-left corner, there is a circular logo with a red border. Inside the logo, the text "SINCE 2020" is written in white, and there is a stylized red and white graphic above it.




5 Find the particular solution of the differential equation

$$6 \frac{d^2x}{dt^2} - 5 \frac{dx}{dt} + x = t^2 + t + 1,$$

given that, when $t = 0$, $x = 12$ and $\frac{dx}{dt} = -6$.

[10]




4Uadmission







6




The diagram shows the curve with equation $y = \left(\frac{1}{2}\right)^x$ for $0 \leq x \leq 1$, together with a set of N rectangles each of width $\frac{1}{N}$.

- (a) By considering the sum of the areas of these rectangles, show that $\int_0^1 \left(\frac{1}{2}\right)^x dx > L_N$, where

$$L_N = \frac{1}{2N(2^{\frac{1}{N}} - 1)}.$$

[4]



4Uadmission



40

- [illegible]

- appropriate integrating factor for
- $$\sqrt{x^2 + 16} \frac{dy}{dx} + y = x\sqrt{x^2 + 16}$$

4Uadmin



for which $y = 6$ when $x = 3$.

[6]





DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN


DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN






where a, b, c and d are constants to be determined. [5]



4Uadmission





[5]



4Uadmission

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN