




Cambridge International AS & A Level

CANDIDATE
NAME
CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--


MATHEMATICS
9709/43

Paper 4 Mechanics

May/June 2024
1 hour 15 minutes

You must answer on the question paper.

You will need: List of formulae (MF19)


INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- If additional space is needed, you should use the lined page at the end of this booklet; the question number or numbers must be clearly shown.
- You should use a calculator where appropriate.
- You must show all necessary working clearly; no marks will be given for unsupported answers from a calculator.
- Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place for angles in degrees, unless a different level of accuracy is specified in the question.
- Where a numerical value for the acceleration due to gravity (g) is needed, use 10 ms^{-2} .

INFORMATION


- The total mark for this paper is 50.
- The number of marks for each question or part question is shown in brackets [].

 This document has **12** pages.





2



A particle of mass 0.2kg is attached to one end of a light inextensible string. The other end of the string is attached to a fixed point on a vertical wall. The particle is held in equilibrium by a force of magnitude $X\text{ N}$, perpendicular to the string, with the string taut and making an angle of 30° with the wall (see diagram).

Find the tension in the string and the value of X .

[3]

4Uadmission






- 

- Find the acceleration of the trailer and the driving force of the van's engine. [4]



(b) (i) Find the acceleration of the van and the tension in the tow-bar. [5]



- (ii) Find the speed of the van when it has travelled a distance of 375 m up the hill. [2]



- (a) Find the power output of the cyclist.

[3]




- (b) Find the steady speed that the cyclist can maintain if her power output and the resistance force are both unchanged. [2]

[2]

4Uad



(c) Given that the speed of the cyclist at the top of the hill is 7.5 m s^{-1} , find her speed at the bottom of the hill. [6]



4Uadmission



The diagram shows a track $ABCD$ which lies in a vertical plane. The section AB is a straight line inclined at an angle of 30° to the horizontal and is smooth. The section BC is a horizontal straight line and is rough. The section CD is a straight line inclined at an angle of 30° to the horizontal and is rough. The lengths AB , BC and CD are each 2 m.

A particle is released from rest at A . The coefficient of friction between the particle and both BC and CD is μ . There is no change in the speed of the particle when it passes through either of the points B or C .

- (a)** It is given that $\mu = 0.1$.


Find the distance which the particle has moved up the section CD when its speed is 1 m s^{-1} . [5]

4Uadmission



- (b) It is given instead that with a different value of μ the particle travels 1 m up the track from C before it comes instantaneously to rest.

Find the value of μ and the speed of the particle at the instant that it passes C for the second time. [4]



DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

DO NOT WRITE IN THIS MARGIN

© UCLES 2024

